

# THE BOSS FAMILY OF SPRAY APPLICATORS

## **100% UP AND RUNNING GUARANTEE**

**NPD** recognizes that the most expensive time is Down Time. The lack of being able to complete a day's worth of production costs 100's to 1000's of dollars.



The moment a piece of equipment stops working the following people must get involved for corrective measures to happen.

#### **CUSTOMER**

Depending on the service, this is a major inconvenience for the customer, being out of their home for services is difficult. Arranging another day is difficult and frustrating. This may take weeks to have this service reoccur.

#### **TECHNICIAN**

Facing the customers concerns. The loss in production dollars can sometime impact their wage.

## **SERVICE MANAGER**

Technician calls to advise of the equipment breakdown and the inability to complete his days work.

#### **PRODUCTION COORDINATORS**

Calls are made to advise customers of problems and some type of delays to be expected. Re-booking services may be required. This process can take hours to complete.

## **MANAGER**

Information flows to the manager with details of the situation.

## **SERVICE MANAGER**

Service Manager and Technician discuss solutions to get repairs completed and what parts may be required to repair the system.

All of these connections take up several hours of valuable time.

NPD's 100% UP and Running Guarantee has been developed to eliminate as many of these steps as possible, while maintaining the best daily equipment capitalization curve possible.

Equipment breakdowns will occur, the key is how fast and at what costs can they be corrected.

NPD's Operating System program extends functionality out to 3 years while reducing daily operational costs to below a \$1.00 a day. The Operating System can be installed in 20 minutes allowing for many services to still be completed that same day.

Simply explained, The Boss Operating System includes all the working components that make the Boss Sprayer function. Every Operating System comes with: Case, Battery Connections, 2 Speed Switch, Circuit Board and Pump, this is the heart of the sprayer.

How to install the operating system: Click Here



Implementation of the Boss Sprayer line will create savings and provide other beneficial improvements in working conditions immediately.

The Boss Operating System





- Our service treatment times have reduced by 15 to 25%. Not hand pumping and the speed of application are big factors.
- Less fatigued at the end of the day, big difference in body stress at the elbow andshoulders.
- Improved safety, I can use my mobile cart for my 4-gallon sprayer, and I use my ladder less because of the 2-speed control switch.
- In many cases I do not need a truck mounted sprayer anymore, I have far more room in the back of my truck and save on gas and other maintenance items.
- So easy to record my usage with the Boss 1-gallon sprayer, consistent output with no hand pumping, technicians love them.
- All models can Spray up to 28 feet, perfect.
- Boss family has multiple size units that I need, 1 G, 2.5G, 4G, 8 Gallon.
- Battery is well protected, not out in direct contact of the sun and rain.
- Liquid and Topical Foam Applications, I use them both.
- All sprayers sizes are compatible, using all the same components and batteries; less inventory at my end.





## E-128-C

## 1 Gallon - 4L

Disinfecting Spray Applicator c/w Coiled Hose

#### Complete with:

- Telescoping Extension Wand
- 1 Low Flow Tip Set
- HDP-M1.5 High Density Proximity Tip
- 120V Fast Charger
- 2 18V Battery

 1 Tech Serv Storage Pouch, Holster and **Service Belt** 



## E-320-C

## 2.5 Gallon - 10L

**Disinfecting Spray** Applicator c/w Coiled Hose

#### Complete with:

- Telescoping Extension Wand
- 1 Low Flow Tip Set
- HDP-M1.5 High Density **Proximity Tip**
- 120V Fast Charger
- 2 18V Battery
- 1 Tech Serv Storage Pouch, Holster and Service Belt



## E-512-C

## 4 Gallon - 15L

Disinfecting Spray Applicator c/w Coiled Hose

#### Complete with:

- Telescoping Extension Wand
- 1 Low Flow Tip Set
- HDP-M1.5 High Density **Proximity Tip**
- 120V Fast Charger
- 2 18V Battery
- 1 Tech Serv Storage Pouch, Holster and Service Belt





## E-320MC-C

## 2.5 Gallon - 10L

Disinfecting Spray Applicator c/w **Coiled Hose** 

#### Complete with:

- Mobile Cart
- Telescoping Extension Wand
- •1 Low Flow Tip Set
- HDP-M1.5 High Density Proximity Tip
- 120V Fast Charger





## E-512MC-C

## 4 Gallon - 15L

**Disinfecting Spray** Applicator c/w Coiled Hose

#### Complete with:

- Mobile Cart
- Telescoping **Extension Wand**
- 1 Low Flow Tip Set
- HDP-M1.5 High **Density Proximity Tip**
- 120V Fast Charger
- 2 18V Battery
- 1 Tech Serv Storage Pouch, Holster and Service Belt



## E-1024SFT-C

## 8 Gallon - 30L

Soft Flow Technology **Disinfecting System** 

#### Complete with:

- · 2 18 Volt Batteries
- 1 Low Flow Tip Set
- HDP-M1.5 High Density **Proximity Tip**
- 1 Trigger Gun
- 1 018 Ext. Wand
- 1 50 Foot Extension Hoses



## **MODELS**



E-44-C **TechServ Full Body** Harness Chest/Waist, Coiled Hose Read



E-4LHP-C Eliminator 1 Gal **Handpump Disinfecting Sprayer** 

Complete with:

• HDP-M1.5 - High Density **Proximity Tip** 



PRO-MIST-2L-C 2 Liter

**Rechargeable Misting Applicator** 

Complete with:

- 24V Rechargable **Battery**
- Battery Charger
- · Shoulder Strap











# **PROXIMITY TIPS**

**HDP PROXIMITY TIPS** are designed to control over application, giving the technician a targeted approach to applying chemicals and disinfectants. Many pieces of equipment are designed to dispense large volumes of product, this style of application treats many surfaces not needing treatment at all or drifts to other unwanted areas.

NPD Powered HDP Tips have various output volumes and list a proximity range for correct selection. Staying close to your target will provide the safest application method possible.



HDP-M1.5-C **High Density Proximity** Tip

**Low Pressure Misting** easy control

3.3oz/100mls per minute. **Treating Zone 16 to** 24 inches. For: Blanketed Coverage Viruses, Bacteria, High Touch Point Areas.

**Watch Video** 



HDP-M3-C **High Density Proximity Tip Low Pressure Misting** easy control

7.3oz/220mls per minute. Treating Zone 24 to 48 Inches. **Blanketed Coverage For:** Mosquitoes, Crawling Insects, **Perimeter Treatments.** 

Watch Video





